

Item Number	Description	Carrier Width	Horiz Perf Repeat	Qty Per Roll	Rolls per Case	Qty per Case	Case Weight	U Of M
Thermal Transfer Rolls								
TH151-1P	1.5" x 1" - 1 roll with perf	1.625"	1.125"	5,500	8	44,000	18	/M
TH21-1	2" x 1" - 1 roll, no perf	2.125"	-	5,500	8	44,000	23	/M
TH21-1P	2" x 1" - 1 roll, with perf	2.125"	1.125"	5,500	8	44,000	23	/M
TH21-2P	2" x 1" - 2 roll, with perf	4.25"	1.125"	11,000	4	44,000	22	/M
TH215-1P	2" x 1.5" - 1 roll, with perf	2.125"	1.625"	3,800	8	30,400	24	/M
TH215-2P	2" x 1.5" - 2 roll, with perf	4.25"	1.625"	7,000	4	28,000	29	/M
TH22-1P	2" x 2" - 1 roll, with perf	2.125"	2.125"	3,000	8	24,000	25	/M
TH31-1	3" x 1" - 1 roll, no perf	3.125"	-	5,500	6	33,000	30	/M
TH31-1P	3" x 1" - 1 roll, with perf	3.125"	1.125"	5,500	6	33,000	30	/M
TH32-1	3" x 2" - 1 roll, no perf	3.125"	-	3,000	6	18,000	25	/M
TH32-1P	3" x 2" - 1 roll, with perf	3.125"	2.125"	3,000	6	18,000	25	/M
TH33-1P	3" x 3" - 1 roll, with perf	3.125"	3.125"	1,900	6	11,400	25	/M
TH34-1P	3" x 4" - 1 roll, with perf	3.125"	4.125"	1,500	8	12,000	36	/M
TH35-1	3" x 5" - 1 roll, no perf	3.125"	-	1,250	6	7,500	25	/M
TH35-1P	3" x 5" - 1 roll, with perf	3.125"	5.125"	1,250	6	7,500	25	/M
TH351-1	3.5" x 1" - 1 roll, no perf	3.625"	-	5,500	6	33,000	30	/M
TH351-1P	3.5" x 1" - 1 roll, with perf	3.625"	1.125"	5,500	6	33,000	30	/M
TH358-1	3.5" x 8" - 1 roll, no perf	3.625"	-	750	6	4,500	31	/M
TH358-1P	3.5" x 8" - 1 roll, with perf	3.625"	8.125"	750	6	4,500	31	/M
TH41-1P	4" x 1" - 1 roll, with perf	4.125"	1.125"	5,500	4	22,000	22	/M
TH415-1P	4" x 1.5" - 1 roll, with perf	4.125"	1.625"	3,600	4	14,400	21	/M
TH42-1	4" x 2" - 1 roll, no perf	4.125"	-	3,000	4	12,000	22	/M
TH42-1P	4" x 2" - 1 roll, with perf	4.125"	2.125"	3,000	4	12,000	22	/M
TH425-1	4" x 2.5" - 1 roll, no perf	4.125"	-	2,500	4	10,000	22	/M
TH425-1P	4" x 2.5" - 1 roll, with perf	4.125"	2.625"	2,500	4	10,000	22	/M
TH43-1	4" x 3" - 1 roll, no perf	4.125"	-	1,900	4	7,600	25	/M
TH43-1P	4" x 3" - 1 roll, with perf	4.125"	3.125"	1,900	4	7,600	25	/M
TH44-1	4" x 4" - 1 roll, no perf	4.125"	-	1,500	4	6,000	25	/M
TH44-1P	4" x 4" - 1 roll, with perf	4.125"	4.125"	1,500	4	6,000	25	/M
TH45-1	4" x 5" - 1 roll, no perf	4.125"	-	1,250	4	5,000	25	/M
TH45-1P	4" x 5" - 1 roll, with perf	4.125"	5.125"	1,250	4	5,000	25	/M
TH46-1	4" x 6" - 1 roll, no perf	4.125"	-	1,000	4	4,000	25	/M
TH46-1-PALLET	4" x 6" - 1 roll, no perf	4.125"	-	1,000	4	4,000	25	/M
TH46-1P	4" x 6" - 1 roll, with perf	4.125"	6.125"	1,000	4	4,000	25	/M
TH46-1P-PALLET	4" x 6" - 1 roll, with perf	4.125"	6.125"	1,000	4	4,000	25	/M
TH465-1	4" x 6.5" - 1 roll, no perf	4.125"	-	900	4	3,600	23	/M
TH465-1P	4" x 6.5" - 1 roll, with perf	4.125"	6.625"	900	4	3,600	23	/M
TH48-1	4" x 8" - 1 roll, no perf	4.125"	-	750	4	3,000	23	/M
TH48-1P	4" x 8" - 1 roll, with perf	4.125"	8.125"	750	4	3,000	23	/M
TH410-1P	4" x 10" - 1 roll, with perf	4.125"	10.125"	600	4	2,400	23	/M
TH413-1	4" x 13" - 1 roll, no perf	4.125"	-	475	4	1,900	23	/M
TH413-1P	4" x 13" - 1 roll, with perf	4.125"	13.125"	475	4	1,900	23	/M
TH53-1	5" x 3" - 1 roll, no perf	5.125"	-	1,900	4	7,600	32	/M
TH53-1P	5" x 3" - 1 roll, with perf	5.125"	3.125"	1,900	4	7,600	32	/M
TH54-1	5" x 4" - 1 roll, no perf	5.125"	-	1,500	4	6,000	28	/M
TH54-1P	5" x 4" - 1 roll, with perf	5.125"	4.125"	1,500	4	6,000	28	/M
TH64-1	6" x 4" - 1 roll, no perf	6.125"	-	1,500	4	6,000	34	/M
TH64-1P	6" x 4" - 1 roll, with perf	6.125"	4.125"	1,500	4	6,000	34	/M
Thermal Transfer Rolls - Tinted Colors								
TH42-1PBL	4" x 2" - 1 roll, with perf, blue	4.125"	2.125"	3,000	4	12,000	23	/M
TH42-1PFG	4" x 2" - 1 roll, with perf, fluor green	4.125"	2.125"	3,000	4	12,000	23	/M

Item Number	Description	Carrier Width	Horiz Perf Repeat	Qty Per Roll	Rolls per Case	Qty per Case	Case Weight	U Of M
TH42-1PO	4" x 2" - 1 roll, with perf, orange	4.125"	2.125"	3,000	4	12,000	23	/M
TH42-1PP	4" x 2" - 1 roll, with perf, pink	4.125"	2.125"	3,000	4	12,000	23	/M
TH42-1PY	4" x 2" - 1 roll, with perf, yellow	4.125"	2.125"	3,000	4	12,000	23	/M
TH43-1PBL	4" x 3" - 1 roll, with perf, blue	4.125"	3.125"	1,900	4	7,600	25	/M
TH43-1PFG	4" x 3" - 1 roll, with perf, fluor green	4.125"	3.125"	1,900	4	7,600	25	/M
TH43-1PFO	4" x 3" - 1 roll, with perf, fluor org	4.125"	3.125"	1,900	4	7,600	25	/M
TH43-1PO	4" x 3" - 1 roll, with perf, orange	4.125"	3.125"	1,900	4	7,600	25	/M
TH43-1PP	4" x 3" - 1 roll, with perf, pink	4.125"	3.125"	1,900	4	7,600	25	/M
TH43-1PY	4" x 3" - 1 roll, with perf, yellow	4.125"	3.125"	1,900	4	7,600	25	/M
TH44-1PBL	4" x 4" - 1 roll, with perf, blue	4.125"	4.125"	1,500	4	6,000	25	/M
TH44-1PFG	4" x 4" - 1 roll, with perf, fluor green	4.125"	4.125"	1,500	4	6,000	25	/M
TH44-1PO	4" x 4" - 1 roll, with perf, orange	4.125"	4.125"	1,500	4	6,000	25	/M
TH44-1PP	4" x 4" - 1 roll, with perf, pink	4.125"	4.125"	1,500	4	6,000	25	/M
TH44-1PY	4" x 4" - 1 roll, with perf, yellow	4.125"	4.125"	1,500	4	6,000	25	/M
TH46-1PBL	4" x 6" - 1 roll, with perf, blue	4.125"	6.125"	1,000	4	4,000	23	/M
TH46-1PFG	4" x 6" - 1 roll, with perf, fluor green	4.125"	6.125"	1,000	4	4,000	23	/M
TH46-1PFO	4" x 6" - 1 roll, with perf, fluor org	4.125"	6.125"	1,000	4	4,000	23	/M
TH46-1PPF	4" x 6" - 1 roll, with perf, fluor pink	4.125"	6.125"	1,000	4	4,000	23	/M
TH46-1PFR	4" x 6" - 1 roll, with perf, fluor red	4.125"	6.125"	1,000	4	4,000	23	/M
TH46-1PO	4" x 6" - 1 roll, with perf, orange	4.125"	6.125"	1,000	4	4,000	23	/M
TH46-1PP	4" x 6" - 1 roll, with perf, pink	4.125"	6.125"	1,000	4	4,000	23	/M
TH46-1PY	4" x 6" - 1 roll, with perf, yellow	4.125"	6.125"	1,000	4	4,000	23	/M
TH465-1PBL	4" x 6.5" - 1 roll, with perf, blue	4.125"	6.625"	900	4	3,600	23	/M
TH465-1PFG	4" x 6.5" - 1 roll, with perf, fluor green	4.125"	6.625"	900	4	3,600	23	/M
TH465-1PO	4" x 6.5" - 1 roll, with perf, orange	4.125"	6.625"	900	4	3,600	23	/M
TH465-1PP	4" x 6.5" - 1 roll, with perf, pink	4.125"	6.625"	900	4	3,600	23	/M
TH465-1PY	4" x 6.5" - 1 roll, with perf, yellow	4.125"	6.625"	900	4	3,600	23	/M
Thermal Transfer Rolls - 1" Core / 4" OD								
TH151-14PTT	1.5" x 1" - 1 roll, with perf	1.625"	1.125"	1,310	4	5,240	4	/M
TH21-14PTT	2" x 1" - 1 roll, with perf	2.125"	1.125"	1,400	4	5,600	5	/M
TH225125-14PT	2.25" x 1.25" - 1 roll, with perf	2.375"	0.875"	1,135	4	4,540	5	/M
TH22575-14PTT	2.25" x 0.75" - 1 roll, with perf	2.375"	1.375"	1,780	4	7,120	5	/M
TH33-14PTT	3" x 3" - 1 roll, with perf	3.125"	3.125"	500	4	2,000	6	/M
TH351-14PTT	3.5" x 1" - 1 roll, with perf	3.625"	1.125"	1,310	4	5,240	7	/M
TH41-14PTT	4" x 1" - 1 roll, with perf	4.125"	1.125"	1,310	4	5,240	7	/M
TH415-14PTT	4" x 1.5" - 1 roll, with perf	4.125"	1.625"	960	4	3,840	8	/M
TH42-14PTT	4" x 2" - 1 roll, with perf	4.125"	2.125"	730	4	2,920	8	/M
TH44-14PTT	4" x 4" - 1 roll, with perf	4.125"	4.125"	375	4	1,500	8	/M
TH46-14PTT	4" x 6" - 1 roll, with perf	4.125"	6.125"	250	4	1,000	8	/M
TH46-11P	4" x 6" - 1 roll, with perf	4.125"	6.125"	250	12	3,000	24	/M
Thermal Transfer Rolls - 1" Core / 5" OD								
TH1251-15PTT	1.25" x 1" - 1 roll, with perf	1.375"	1.125"	2,300	4	9,200	5	/M
TH151-15PTT	1.5" x 1" - 1 roll, with perf	1.625"	1.125"	2,300	4	9,200	5	/M
TH21-15PTT	2" x 1" - 1 roll, with perf	2.125"	1.125"	2,300	4	9,200	7	/M
TH225125-15PT	2.25" x 1.25" - 1 roll, with perf	2.375"	1.375"	1,900	4	7,600	7	/M
TH2254-15PTT	2.25" x 4" - 1 roll, with perf	2.375"	4.125"	700	4	2,800	8	/M
TH22575-15PTT	2.25" x 0.75" - 1 roll, with perf	2.375"	0.875"	3,000	4	12,000	7	/M
TH32-15PTT	3" x 2" - 1 roll, with perf	3.125"	2.125"	1,240	4	4,960	10	/M
TH33-15PTT	3" x 3" - 1 roll, with perf	3.125"	3.125"	850	4	3,400	10	/M
TH351-15PTT	3.5" x 1" - 1 roll, with perf	3.625"	1.125"	2,300	4	9,200	11	/M
TH41-15PTT	4" x 1" - 1 roll, with perf	4.125"	1.125"	2,300	4	9,200	12	/M
TH42-15PTT	4" x 2" - 1 roll, with perf	4.125"	2.125"	1,250	4	5,000	12	/M

Item Number	Description	Carrier Width	Horiz Perf Repeat	Qty Per Roll	Rolls per Case	Qty per Case	Case Weight	U Of M	
TH43-15PTT	4" x 3" - 1 roll, with perf	4.125"	3.125"	850	4	3,400	12	/M	
TH44-15PTT	4" x 4" - 1 roll, with perf	4.125"	4.125"	700	4	2,800	13	/M	
TH46-15PTT	4" x 6" - 1 roll, with perf	4.125"	6.125"	450	4	1,800	13	/M	
Thermal Transfer Fan Fold					(Stacks)				
THF35-1	3" x 5" - 1, fan fold	3.125"	5.125"	1,250	2	2,500	10	/M	
THF358-1	3.5" x 8" - 1, fan fold	3.625"	8.125"	970	3	2,910	20	/M	
THF41-1	4" x 1" - 1, fan fold	4.125"	1.125"	10,500	2	21,000	21	/M	
THF42-1	4" x 2" - 1, fan fold	4.125"	2.125"	6,000	2	12,000	23	/M	
THF43-1	4" x 3" - 1, fan fold	4.125"	3.125"	4,000	2	8,000	23	/M	
THF44-1	4" x 4" - 1, fan fold	4.125"	4.125"	3,000	2	6,000	23	/M	
THF45-1	4" x 5" - 1, fan fold	4.125"	5.125"	2,500	2	5,000	25	/M	
THF46-1	4" x 6" - 1, fan fold	4.125"	6.125"	2,000	2	4,000	23	/M	
THF46-1-PALLET	4" x 6" - 1, fan fold (PALLET)	4.125"	6.125"	2,000	2	4,000	23	/M	
THF465-1	4" x 6.5" - 1, fan fold	4.125"	6.625"	2,000	2	4,000	24	/M	
THF48-1	4" x 8" - 1, fan fold	4.125"	8.125"	1,250	2	2,500	19	/M	
Thermal Transfer Fan Fold - Tinted Colors					(Stacks)				
THF46-1PBL	4" x 6" - 1, with perf, blue fan fold	4.125"	6.125"	2,000	2	4,000	23	/M	
THF46-1PFG	4" x 6" - 1, with perf, fluor green fan fo	4.125"	6.125"	2,000	2	4,000	23	/M	
THF46-1PFO	4" x 6" - 1, with perf, fluor org fan fold	4.125"	6.125"	2,000	2	4,000	23	/M	
THF46-1PFR	4" x 6" - 1, with perf, fluor red fan fold	4.125"	6.125"	2,000	2	4,000	23	/M	
THF46-1PO	4" x 6" - 1, with perf, orange fan fold	4.125"	6.125"	2,000	2	4,000	23	/M	
THF46-1PP	4" x 6" - 1, with perf, pink fan fold	4.125"	6.125"	2,000	2	4,000	23	/M	
THF46-1PY	4" x 6" - 1, with perf, yellow fan fold	4.125"	6.125"	2,000	2	4,000	23	/M	
Thermal Transfer - Other									
TH4X500FT	4" x 500 feet - 1 roll, no perf	4"	-	500'	4	2000'	29	/ROLL	
TH46-112	4" x 6" - 1, 12" OD roll, no perf	4.125"	-	2,800	2	5,600	35	/M	
Thermal Transfer - Removable									
TH46-1PREM	4" x 6" - 1 roll, Removable with perf	4.125"	6.125"	1,000	4	4,000	23	/M	
TH465-1PREM	4" x 1" - 65 roll, Removable with perf	4.125"	6.125"	900	4	3,600	23	/M	
Thermal Transfer - Tags									
TAG46-1P	4" x 6" - 1 roll, TT Tag with perf	4"	6"	1,000	4	4,000	19	/M	
TAG465-1P	4" x 6.5" - 1 roll, TT Tag with perf	4"	6.5"	900	4	3,600	21	/M	
Thermal Transfer 3 mil Matte BOPP									
THKD42-1P	4" x 2" - 1 roll, with perf	4.125"	2.125"	2,600	4	10,400	22	/M	
THKD46-1P	4" x 6" - 1 roll, with perf	4"	6.125"	900	4	3,600	22	/M	
Thermal Transfer Polyester, 1" cores									
TH21-14PTTPOL	2" x 1" - 1 roll, with perf	2.125"	1.125"	1,380	4	5,520	5	/M	
TH1251-1PTTPC	1.25" x 1" - 1 roll, with perf	1.375"	1.125"	2,300	4	9,200	4	/M	
TH151-1PTTPOL	1.5" x 1" - 1 roll, with perf	1.625"	1.125"	2,300	4	9,200	5	/M	
TH275-1PTTPOL	2" x 0.75" - 1 roll, with perf	2.125"	0.875"	3,000	4	12,000	8	/M	
Ribbons - Thermal Transfer									
2.36X1476WAX	Ribbon 2.36" x 1476', 60mm x 450M	Vax for Zebra			36			EACH	
2.36X984WAX	Ribbon 2.36" x 984', 60mm x 300M	Vax for Zebra			36			EACH	
3.15X1476WAX	Ribbon 3.15" x 1476', 80mm x 450M	Vax for Zebra			24			EACH	
3.15X984WAX	Ribbon 3.15" x 984', 80mm x 300M	Vax for Zebra			36			EACH	
3.27X1476WAX	Ribbon 3.27" x 1476', 83mm x 450M	Vax for Zebra			24			EACH	
3.50X1476WAX	Ribbon 3.50" x 1476', 89mm x 450M	Vax for Zebra			24			EACH	
3.74X984WAX	Ribbon 3.74" x 984', 95mm x 300M	Vax for Zebra			24			EACH	
4.09X1476WAX	Ribbon 4.09" x 1476', 104mm x 450M	Vax for Zebra			24			EACH	
4.33X1476WAX	Ribbon 4.33" x 1476', 110mm x 450M	Vax for Zebra			24			EACH	
4.33X984WAX	Ribbon 4.33" x 984', 110mm x 300M	Vax for Zebra			24			EACH	
5.12X1476WAX	Ribbon 5.12" x 1476', 130mm x 450M	Vax for Zebra			24			EACH	

Item Number	Description	Carrier Width	Horiz Perf Repeat	Qty Per Roll	Rolls per Case	Qty per Case	Case Weight	U Of M
6.00X1476WAX	Ribbon 6.00" x 1476', 152mm x 450M	Wax for Zebra			12			EACH
6.50X1476WAX	Ribbon 6.5" x 1476', 465mm x 450M	Wax for Zebra			12			EACH
6.73X1476WAX	Ribbon 6.73" x 1476', 171mm x 450M	Wax for Zebra			12			EACH
2.00X1345WAX	Ribbon 2.00" x 1345', 51mm x 410M	Wax for Sato			36			EACH
3.00X1345WAX	Ribbon 3.00" x 1345', 76mm x 410M	Wax for Sato			24			EACH
4.00X1345WAX	Ribbon 4.00" x 1345', 102mm x 410M	Wax for Sato			24			EACH
4.33X1345WAX	Ribbon 4.33" x 1345', 110mm x 410M	Wax for Sato			24			EACH
5.00X1345WAX	Ribbon 5.00" x 1345', 127mm x 410M	Wax for Sato			24			EACH
4.09X509WAX	Ribbon 4.09" x 509', 104mm x 155M	Wax for Intermec			24			EACH
4.17X1499WAX	Ribbon 4.17" x 1499', 106mm x 457M	Wax for Intermec			18			EACH
4.50X1499WAX	Ribbon 4.50" x 1499', 114mm x 457M	Wax for Intermec			18			EACH
2.50X299WAX	Ribbon 2.50" x 299', 64mm x 91M	Wax for Eltron/Zebra			36			EACH
4.33X299WAX	Ribbon 4.33" x 299', 110mm x 91M	Wax for Eltron/Zebra			36			EACH
2.00X1181WAX	Ribbon 2.00" x 1181', 51mm x 360M	Wax for Datamax			36			EACH
2.52X1181WAX	Ribbon 2.52" x 1181', 64mm x 360M	Wax for Datamax			36			EACH
3.00X1181WAX	Ribbon 3.00" x 1181', 76mm x 360M	Wax for Datamax			36			EACH
3.50X1181WAX	Ribbon 3.50" x 1181', 89mm x 360M	Wax for Datamax			24			EACH
4.00X1181WAX	Ribbon 4.00" x 1181', 102mm x 360M	Wax for Datamax			24			EACH
4.17X1181WAX	Ribbon 4.17" x 1181', 108mm x 360M	Wax for Datamax			24			EACH
4.33X1181WAX	Ribbon 4.33" x 1181', 110mm x 360M	Wax for Datamax			24			EACH
4.50X1181WAX	Ribbon 4.50" x 1181', 114mm x 360M	Wax for Datamax			24			EACH
4.33X1476W/R	Ribbon 4.33" x 1476', 110mm x 450M	Wax/Resin for Zebra			6			EACH
4.33X1476RESIN	Ribbon 4.33" x 1476', 110mm x 450M	Resin for Zebra			6			EACH
4.33X2001WAX	Ribbon 4.33 x 2001', 110mm x 625M	Wax for Printronix			24			EACH
Direct Thermal								
DT21-1P	2" x 1" - 1 roll, with perf	4.125"	1.125"	5,500	8	44,000	23	/M
DT32-1P	3" x 2" - 1 roll, with perf	3.125"	2.125"	2,900	8	23,200	24	/M
DT35-1P	3" x 5" - 1 roll, with perf	3.125"	5.125"	1,250	4	5,000	25	/M
DT42-1P	4" x 2" - 1 roll, with perf	4.125"	2.125"	3,000	4	12,000	22	/M
DT43-1P	4" x 3" - 1 roll, with perf	4.125"	3.125"	1,900	4	7,600	25	/M
DT44-1P	4" x 4" - 1 roll, with perf	4.125"	4.125"	1,500	4	6,000	25	/M
DT46-1	4" x 6" - 1 roll, no perf	4.125"	-	1,000	4	4,000	25	/M
DT46-1P	4" x 6" - 1 roll, with perf	4.125"	6.125"	1,000	4	4,000	25	/M
DT465-1P	4" x 6.5" - 1 roll, with perf	4.125"	6.625"	900	4	3,600	23	/M
DT48-1P	4" x 8" - 1 roll, with perf	4.125"	8.125"	750	4	3,000	23	/M
Direct Thermal - Tinted Colors								
DT46-1PBL	4" x 6" - 1 roll, with perf, blue	4.125"	6.125"	1,000	4	4,000	24	/M
DT46-1PO	4" x 6" - 1 roll, with perf, orange	4.125"	6.125"	1,000	4	4,000	24	/M
DT46-1PP	4" x 6" - 1 roll, with perf, pink	4.125"	6.125"	1,000	4	4,000	24	/M
DT46-1PY	4" x 6" - 1 roll, with perf, yellow	4.125"	6.125"	1,000	4	4,000	24	/M
Direct Thermal - 1" core, 4" OD								
DT151-14PDT	1" x 1.5" - 1 roll, with perf	1.625"	1.625"	1,310	4	5,240	4	/M
DT21-14PDT	2" x 1" - 1 roll, with perf	2"	1.125"	1,400	4	5,600	5	/M
DT225125-14PC	2.25" x 1.25" - 1 roll, with perf	2.375"	1.375"	1,135	4	4,540	5	/M
DT2253-14PDT	2.25" x 3" - 1 roll, with perf	2.375"	3.125"	500	4	2,000	5	/M
DT22575-14PD1	2.75" x 0.75" - 1 roll, with perf	2.875"	0.875"	1,780	4	7,120	6	/M
DT33-14PDT	3" x 3" - 1 roll, with perf	3.125"	3.125"	500	4	2,000	7	/M
DT351-14PDT	3.5" x 1" - 1 roll, with perf	3.625"	1.125"	1,310	4	5,240	7	/M
DT41-14PDT	4" x 1" - 1 roll, with perf	4.125"	1.125"	1,310	4	5,240	8	/M
DT415-14PDT	4" x 1.5" - 1 roll, with perf	4.125"	1.625"	960	4	3,840	8	/M
DT42-14PDT	4" x 2" - 1 roll, with perf	4.125"	2.125"	735	4	2,940	8	/M
DT43-14PDT	4" x 3" - 1 roll, with perf	4.125"	3.125"	500	4	2,000	8	/M

Item Number	Description	Carrier Width	Horiz Perf Repeat	Qty Per Roll	Rolls per Case	Qty per Case	Case Weight	U Of M
DT46-14PDT	4" x 6" - 1 roll, with perf	4.125"	6.125"	250	4	1,000	8	/M
DT46-11P	4" x 6" - 1 roll, with perf	4.125"	6.125"	250	12	3,000	24	/M
Direct Thermal - 1" core 5" OD								
DT1251-15PDT	1.25" x 1" - 1 roll, with perf	1.375"	1.125"	2,340	4	9,360	5	/M
DT151-15PDT	1.5" x 1" - 1 roll, with perf	1.625"	1.125"	2,300	4	9,200	5	/M
DT21-15PDT	2" x 1" - 1 roll, with perf	2.125"	1.125"	2,300	4	9,200	7	/M
DT225125-15PC	2.25" x 1.25" - 1 roll, with perf	2.375"	1.375"	1,900	4	7,600	8	/M
DT2252-15PDT	2.25" x 2" - 1 roll, with perf	2.375"	2.125"	1,370	4	5,480	8	/M
DT225411-15PC	2.25" x 4" - 1 roll, with perf	2.375"	4.125"	700	4	2,800	9	/M
DT22575-15PD1	2.25" x 0.75" - 1 roll, with perf	2.375"	0.875"	3,000	4	12,000	8	/M
DT32-15PDT	3" x 2" - 1 roll, with perf	3.125"	2.125"	1,240	4	4,960	10	/M
DT33-15PDT	3" x 3" - 1 roll, with perf	3.125"	3.125"	850	4	3,400	10	/M
DT351-15PDT	3.5" x 1" - 1 roll, with perf	3.625"	1.125"	2,300	4	9,200	11	/M
DT41-15PDT	4" x 1" - 1 roll, with perf	4.125"	1.125"	2,300	4	9,200	13	/M
DT415-15PDT	4" x 1.5" - 1 roll, with perf	4.125"	1.625"	1,620	4	6,480	13	/M
DT42-15PDT	4" x 2" - 1 roll, with perf	4.125"	2.125"	1,250	4	5,000	13	/M
DT43-15PDT	4" x 3" - 1 roll, with perf	4.125"	3.125"	850	4	3,400	13	/M
DT45-15PDT	4" x 5" - 1 roll, with perf	4.125"	5.125"	565	4	2,260	14	/M
DT46-15PDT	4" x 6" - 1 roll, with perf	4.125"	6.125"	450	4	1,800	14	/M
Direct Thermal - Fan Fold					(Stacks)			
DTF42-1	4" x 2" - 1, fan fold	4.125"	12.75"	6,000	2	12,000	24	/M
DTF44-1	4" x 4" - 1, fan fold	4.125"	12.375"	3,000	2	6,000	25	/M
DTF46-1	4" x 6" - 1, fan fold	4.125"	12.25"	2,000	2	4,000	26	/M
DTF465-1	4" x 6.5" - 1, fan fold	4.125"	13.25"	2,000	2	4,000	26	/M
Direct Thermal Coated								
DTC46-1P	4" x 6" - 1, 1" core, roll, with perf	4.125"	6.125"	1,000	4	4,000	24	/M
DT46-75PDT-1B	4" x 6" - 1, 0.75" core, roll, eye mark, pe	4.125"	6.125"	65	16	1,040	10	/M
Laser Sheets				(Per Sheet)	(Packs)	(Sheets)		
AL17505-80	Laser 1.75" x 0.5" - 80/sheet, die cut	8.5"	-	80	4	1,000	24	/M
AL2561-33	Laser 2.833" x 1" - 33/sheet, buttcut	8.5"	-	33	4	1,000	24	/M
AL256138-24	Laser 2.833" x 1.375" - 24/sheet, buttcu	8.5"	-	24	4	1,000	24	/M
AL2581-30	Laser 2.625" x 1" - 30/sheet, die cut	8.5"	-	30	4	1,000	24	/M
AL410-20	Laser 4" x 1" - 20/sheet, die cut	8.5"	-	20	4	1,000	24	/M
AL415-14	Laser 4" x 1.5" - 14/sheet, die cut	8.5"	-	14	4	1,000	24	/M
AL420-10	Laser 4" x 2" - 10/sheet, die cut	8.5"	-	10	4	1,000	24	/M
AL4252-10	Laser 4.25" x 2" - 10/sheet, buttcut	8.5"	-	10	4	1,000	24	/M
AL425275-8	Laser 4.25" x 2.75" - 8/sheet buttcut	8.5"	-	8	4	1,000	24	/M
AL42555-4	Laser 4.25" x 5.5" - 4/sheet, buttcut	8.5"	-	4	4	1,000	24	/M
AL4313-6	Laser 4 x 3.33 - 6/sheet, die cut	8.5"	-	6	4	1,000	24	/M
AL450-4	Laser 4 x 5 - 4/sheet, die cut	8.5"	-	4	4	1,000	24	/M
AL8315-3	Laser 8 x 3.5 - 3/sheet, die cut	8.5"	-	3	4	1,000	24	/M
AL8511-1	8.5" x 11" - 1/sheet, buttcut	8.5"	-	1	4	1,000	24	/M
AL8555-2	8.5" x 5.5 - 2/sheet, butcut	8.5"	-	2	4	1,000	24	/M
EDP Fan Fold with Control Punch Holes								
AL35015-1	3.5" x 15/16" - 1 FF, fold perf only	4.25"	12"			5,000	6	/M
AL35015-1HP	3.5" x 15/16" - 1 FF, perf between label	4.25"	1"			5,000	6	/M
AL40023-1	4" x 1-7/16" - 1 FF, fold perf only	4.75"	12"			5,000	9	/M
AL40023-1R	4" x 1-7/16" -1 FF, Removable, fold per	4.75"	12"			5,000	9	/M
AL50047-1HP	5" x 2 15/16" - 1 FF, perf between label	5.75"	3"			2,500	13	/M
AL60063-1HP	6" x 3 15/16" - 1 FF, perf between label	6.75"	4"			2,500	17	/M
Shipping Preprinted Labels								(Per Roll)
ALS3401	3" x 4" - 1 Arrow Up, roll	3"	-	500				/ROLL

Item Number	Description	Carrier Width	Horiz Perf Repeat	Qty Per Roll	Rolls per Case	Qty per Case	Case Weight	U Of M
ALS3502	3" x 5" - 1 Fragile - Please, roll	3"	-	500				/ROLL
ALS4402	4" x 4" - 1Fragile, roll	4"	-	500				/ROLL