

Staplers / Shrink Film / Box Protection



Carton Sealing Staplers

We offers a variety of staplers suited for sealing cartons and other industrial applications, including hammer tackers, manual and pneumatic top staplers in a range of crown and staple sizes

Features:

- Built for efficient repetitive use
- Additional staplers and staples available

Staplers

Item #	Description	Staple	Wt
190235	R11 - Hammer Tacker	1/4" - 3/8"	2 Lbs
190251	KP-CM - Manual Top Stapler	5/8" - 3/4"	5 Lbs
190252	KP-AM - Manual Top Stapler A	5/8" - 3/4"	5 Lbs
190253	KP-CPN - Pneumatic Top Stapler	3/8" - 3/4"	5 Lbs
190249	KP-RR1 - Pneumatic Roll Stapler	5/8" - 3/4"	5 Lbs
190231	JK561-15PN - Pneumatic Top Stapler	5/8"	5 Lbs
190254	KP-APN - Pneumatic Top Stapler	5/8" - 3/4"	5 Lbs
190234	KP-32PN - Pneumatic Top Stapler C	5/8"	4 Lbs

Staples

Item #	Description	Staples	Boxes	Wt
190266	A11-3/8 - 3/8" Staples	5000/Box	20	40 Lbs
190255	K-A58 - 5/8" Staples	2000/Box	10	43 Lbs
190260	K-C58 - 5/8" Staples	2500/Box	10	41 Lbs
190256	K-C34 - 3/4" Staples	2500/Box	10	44 Lbs
190265	K-RR1-5/8 - 5/8" Roll Staples	1000/Coil	24	41 Lbs
190261	K-GR1-5/8 - 5/8" Roll Staples	1000/Coil	24	48 Lbs



Shrink Film

CWC shrink polyolefin film is a new polyolefin shrink film for a wide range of packaging applications. The innovative crosslink process provides strong, durable seals and excellent shrinkage. Optical properties are superior. This film exhibits outstanding abuse resistance and is easy to use. 701 is designed for use with L bar sealers along and high speed side seal machines.

Item #	Description	Units	Wt
051261	75 Gauge - 12" x 3500' Polyolefin	1	12 lbs
051263	75 Gauge - 16" x 3500' Polyolefin	1	16 lbs
051266	75 Gauge - 18" x 3500' Polyolefin	1	18 lbs
051264	75 Gauge - 20" x 3500' Polyolefin	1	20 lbs



Paper Edge Protectors

These multi layer paperboard are laminated to reduce indentation caused by strapping, while increasing load stability, by allowing for higher strap tensoning force.


Item #	Description	Color	Thickness	Units	Wt
184104	2" x 2" x 2.5"	Wht/Kraft	0.120"	1800	79 lbs
184100	2" x 2" x 3"	Wht/Kraft	0.120"	1440	55 lbs
184114	2" x 2" x 2.5"	Wht/Kraft	0.140"	1000	30 lbs
184119	2" x 2" x 2.5"	Wht/Kraft	0.160"	1350	74 lbs
184117	2" x 2" x 2.5"	Wht/Kraft	0.225"	950	63 lbs



Plastic Strap Guards

These economical guards prevent damage to cartons and pallets from straps. The plastic V-guard construction and ribbed channels keep straps from slipping.

Item #	Description	Units	Wt
184049	Guard for 3/4" Strap - 3/4" x 1 1/2"	1000	20 lbs
184015	Guard for 1 1/4" Strap - 1 3/4" x 2 1/2"	1000	25 lbs



Manila Shipping Tags

Address items that can not be labeled with shipping tags. The 3/16" reinforced eyelet resists tears. Tag wires also available.

Plain	Wire	String	Size	Dimensions	Units	Apx Wt
068122	068034	068110	#1 -10 pt	2-3/4" x 1-3/8"	1000	2.5 lbs
068112	068113	068111	#1 -13 pt	2-3/4" x 1-3/8"	1000	2.6 lbs
068129	068115	068114	#2 -10 pt	3-1/4" x 1-5/8"	1000	2.9 lbs
068117	068118	068116	#2 -13 pt	3-1/4" x 1-5/8"	1000	3.2 lbs
068130	068132	068119	#3 -10 pt	3-3/4" x 1-7/8"	1000	3.5 lbs
068134	068135	068133	#3 -13 pt	3-3/4" x 1-7/8"	1000	3.8 lbs
068127	068128	068136	#4 -10 pt	4-1/4" x 2-1/8"	1000	4.2 lbs
068138	068139	068137	#4 -13 pt	4-1/4" x 2-1/8"	1000	4.8 lbs
068126	068125	068140	#5 -10 pt	4-3/4" x 2-3/8"	1000	5.1 lbs
068142	068033	068141	#5 -13 pt	4-3/4" x 2-3/8"	1000	5.5 lbs
068144	068123	068143	#6 -10 pt	5-1/4" x 2-5/8"	1000	5.5 lbs
068146	068147	068145	#6 -13 pt	5-1/4" x 2-5/8"	1000	6.6 lbs
068150	068131	068148	#7 -10 pt	5-3/4" x 2-7/8"	500	3.4 lbs
068152	068153	068151	#7 -13 pt	5-3/4" x 2-7/8"	500	4.0 lbs
068156	068124	068154	#8 -10 pt	6-1/4" x 3-1/8"	500	4.0 lbs
068158	068159	068157	#8 -13 pt	6-1/4" x 3-1/8"	500	4.5 lbs

Polyester Strapping



Polyester Strapping

CWC polyester strapping is used when regular polypropylene strapping isn't strong enough to get the job done. Can reduce indentation at unprotected package corners.

Features:

- Used for heavy-duty bundling & palletizing
- Absorbs impacts without breaking
- Great alternative to steel strapping

16" x 3" Core - Black Polyester - 2 Coils

Item #	Finish	Wth	Thick	Length	Tensile	Wt
173035	Smooth	1/2"	0.020	3600'	600 lbs	43 lbs
173040	Smooth	1/2"	0.025	2900'	775 lbs	44 lbs
173042	Smooth	1/2"	0.028	3200'	820 lbs	52 lbs
173045	Smooth	5/8"	0.020	2800'	750 lbs	44 lbs
173050	Smooth	5/8"	0.025	2200'	900 lbs	48 lbs
173055	Smooth	5/8"	0.030	1800'	1000 lbs	48 lbs

16" x 6" Core - Green Polyester - 1 Coil

Item #	Finish	Wth	Thick	Length	Tensile	Wt
173065	Smooth	.41"	0.021	10500'	500 lbs	52 lbs
173070	Smooth	.41"	0.024	9000'	600 lbs	52 lbs
173075	Waxed	1/2"	0.021	9000'	600 lbs	52 lbs
173073	Waxed	1/2"	0.018	10500'	500 lbs	56 lbs
173018	Smooth	1/2"	0.020	7200'	600 lbs	42 lbs
173058	Embossed	1/2"	0.023	7200'	600 lbs	44 lbs
173041	Smooth	1/2"	0.025	5800'	775 lbs	43 lbs
173044	Smooth	1/2"	0.028	6500'	820 lbs	52 lbs
173061	Embossed	1/2"	0.027	8200'	775 lbs	50 lbs
173080	Waxed	1/2"	0.028	6500'	820 lbs	53 lbs
173079	Lubed	5/8"	0.030	3600'	1100 lbs	50 lbs
173086	Smooth	5/8"	0.030	3800'	1100 lbs	50 lbs
173081	Waxed AAR	5/8"	0.035	4000'	1400 lbs	54 lbs
173083	Waxed	5/8"	0.035	4000'	1400 lbs	52 lbs
173084	Smooth	5/8"	0.035	4000'	1400 lbs	52 lbs
173085	Lubed AAR	5/8"	0.035	4000'	1400 lbs	52 lbs
173087	Lubed AAR	5/8"	0.040	4000'	1600 lbs	54 lbs
173088	Smooth	5/8"	0.040	4000'	1600 lbs	54 lbs
173089	Waxed	5/8"	0.040	4000'	1600 lbs	54 lbs
173092	Waxed AAR	5/8"	0.040	4000'	1600 lbs	54 lbs
173071	Lubed AAR	3/4"	0.040	3000'	1900 lbs	54 lbs

16" x 6" Core - Black Polyester - 1 Coil

Item #	Finish	Wth	Thick	Length	Tensile	Wt
173017	Smooth	1/2"	0.020	7200'	600 lbs	42 lbs
173020	Smooth	1/2"	0.025	5800'	775 lbs	43 lbs
173043	Smooth	1/2"	0.028	6500'	820 lbs	52 lbs
173046	Smooth	5/8"	0.030	3600'	1100 lbs	48 lbs
173047	Embossed	5/8"	0.030	3600'	1100 lbs	48 lbs
173082	Smooth	5/8"	0.035	4000'	1400 lbs	52 lbs
173090	Waxed	5/8"	0.040	4000'	1600 lbs	54 lbs



Polyester Cord Strapping

CWC polyester cord strap offers high strength, durability, and a corrosion-free alternative to steel strapping. Cord strap is easy to apply and highly effective, using just a tensioning tool and a buckle to secure the strap.

Features:

- High tenacity polyester
- Alternative to steel banding

Woven

Item #	Width	Length	Tensile	Lbs/Coil	Coils	Wt
174310	1/4"	2600 yds	325 lbs	15.4 lbs	4	62 lbs
174315	3/8"	1750 yds	500 lbs	15 lbs	4	65 lbs
174370	1/2"	1300 yds	450 lbs	11.25 lbs	4	45 lbs
174320	1/2"	1300 yds	650 lbs	14.8 lbs	4	60 lbs
174325	5/8"	1000 yds	800 lbs	13.4 lbs	4	60 lbs
174330	3/4"	700 yds	1000 lbs	12 lbs	4	48 lbs
174400	3/4"	550 yds	1200 lbs	21.5 lbs	2	43 lbs

Stranded

Item #	Width	Length	Tensile	Lbs/Coil	Coils	Wt
174005	1/4"	2600 yds	325 lbs	15.4 lbs	4	63 lbs
174010	3/8"	1750 yds	500 lbs	16.4 lbs	4	64 lbs
174015	1/2"	1300 yds	650 lbs	15.4 lbs	4	64 lbs
174020	5/8"	1000 yds	800 lbs	15 lbs	4	58 lbs
174025	3/4"	700 yds	1000 lbs	13 lbs	4	53 lbs

Composite Cord Strap

Item #	Width	Length	Tensile	Lbs/Coil	Units	Wt
174036	3/4"	1640'	1375 lbs	29.4 lbs	2	48 lbs
174040	1"	1312'	1730 lbs	22 lbs	2	44 lbs
174044	1-1/4"	820'	3300 lbs	24 lbs	2	48 lbs



Polypro Strapping

Polypropylene strapping is available in both hand and machine grade. Strong and flexible, this strap is ideal for palletizing, packaging and bundling.

Features:

- Conforms easily to corners
- Shrinks with loads to maintain tension

Hand Grade - 8" x 8" Core - 1 Coil Carton

Item #	Color	Width	Thick	Length	Tensile	Wt
178005	Black	1/2"	0.015	9000'	300 lbs	22 lbs
178015	Yellow	1/2"	0.020	9000'	350 lbs	26 lbs
178020	Black	1/2"	0.020	9000'	350 lbs	26 lbs
178070	Yellow	1/2"	0.031	7200'	600 lbs	26 lbs
178075	Black	1/2"	0.031	7200'	600 lbs	26 lbs
170137	Black	5/8"	0.025	6000'	700 lbs	28 lbs
178100	Black	3/4"	0.031	4500'	1000 lbs	30 lbs

Hand Grade - 16" x 3" Core - 2 Coil Carton

Item #	Color	Width	Thick	Length	Tensile	Wt
178012	Black	1/2"	0.020	4500'	350 lbs	18 lbs
178057	Black	1/2"	0.026	3600'	450 lbs	26 lbs
178062	Black	1/2"	0.031	3600'	600 lbs	32 lbs
178063	Yellow	1/2"	0.031	3600'	600 lbs	32 lbs
178096	Black	5/8"	0.025	2600'	700 lbs	29 lbs
178097	Black	5/8"	0.031	2200'	900 lbs	28 lbs
178098	Black	5/8"	0.031	2200'	1000 lbs	30 lbs

Hand Grade - 16" x 6" Core - 1 Coil Carton

Item #	Color	Width	Thick	Length	Tensile	Wt
178010	Black	1/2"	0.015	9000'	300 lbs	22 lbs
178030	Yellow	1/2"	0.020	9000'	350 lbs	24 lbs
178035	Black	1/2"	0.020	9000'	350 lbs	24 lbs
178050	Black	1/2"	0.022	9000'	400 lbs	25 lbs
178060	Black	1/2"	0.026	7200'	450 lbs	26 lbs
170710	Black	10.5 mm	0.025	8000'	500 lbs	35 lbs
170131	White	1/2"	0.031	7200'	600 lbs	30 lbs
178090	Yellow	1/2"	0.031	7200'	600 lbs	34 lbs
178095	Black	1/2"	0.031	7200'	600 lbs	34 lbs
178088	Clear	5/8"	0.030	5400'	800 lbs	36 lbs
178099	Black	5/8"	0.031	5400'	900 lbs	36 lbs

Machine Grade - 8" x 6" Core - 1 Coil Carton

Item #	Color	Width	Thick	Length	Tensile	Wt
178305	Clear	1/4"	0.022	17000'	200 lbs	27 lbs
178387	White	3/8"	0.024	10000'	300 lbs	23 lbs
178400	White	1/2"	0.020	9000'	350 lbs	27 lbs

Machine Grade - 8" x 8" Core - 1 Coil Carton

Item #	Color	Width	Thick	Length	Tensile	Wt
178275	White	5 mm	0.018	23000'	140 lbs	28 lbs
178380	Yellow	1/4"	0.022	18000'	200 lbs	28 lbs
178382	White	1/4"	0.022	18000'	200 lbs	28 lbs
171035	White	3/8"	0.022	12000'	250 lbs	26 lbs
178385	White	3/8"	0.022	12900'	300 lbs	26 lbs
178383	Clear	9 mm	0.022	12000'	300 lbs	26 lbs
178390	White	1/2"	0.022	9900'	325 lbs	27 lbs
178392	Yellow	1/2"	0.024	9900'	325 lbs	27 lbs
178395	Black	1/2"	0.024	9900'	325 lbs	27 lbs
171552	White	1/2"	0.022	9000'	275 lbs	24 lbs
178401	White	1/2"	0.022	7200'	500 lbs	28 lbs
171054	Black	10.5 mm	0.028	6700'	500 lbs	29 lbs

Machine Grade - 9" x 8" Core - 1 Coil Carton

Item #	Color	Width	Thick	Length	Tensile	Wt
178405	White	1/4"	0.022	20000'	200 lbs	32 lbs
178410	Yellow	1/4"	0.022	20000'	200 lbs	32 lbs
178415	White	3/8"	0.024	12900'	300 lbs	26 lbs
178417	Clear	3/8"	0.022	12900'	300 lbs	29 lbs
178386	Clear	3/8"	0.022	8700'	400 lbs	20 lbs
178428	Black	1/2"	0.024	9900'	325 lbs	27 lbs
178430	White	1/2"	0.024	9900'	325 lbs	27 lbs
178431	Clear	1/2"	0.022	9900'	325 lbs	27 lbs

Machine Grade - 11" x 8" Core - 1 Coil Carton

Item #	Color	Width	Thick	Length	Tensile	Wt
178350	White	1/2"	0.026	7500'	350 lbs	21 lbs

Machine Grade - 16" x 6" Core - 1 Coil Carton

Item #	Color	Width	Thick	Length	Tensile	Wt
171050	Black	10.5 mm	0.022	10500'	400 lbs	33 lbs
171044	Clear	10.5 mm	0.024	8000'	500 lbs	34 lbs
171051	Black	10.5 mm	0.024	8000'	500 lbs	34 lbs
171052	Black	10.5 mm	0.028	7000'	600 lbs	35 lbs
178307	Black	1/2"	0.028	6600'	500 lbs	27 lbs
178320	Black	1/2"	0.030	6000'	600 lbs	28 lbs
178325	White	1/2"	0.030	6000'	600 lbs	28 lbs
178360	Black	1/2"	0.030	8900'	400 lbs	30 lbs

Polypro Strapping & Tools



Machine Grade Smooth

Our machine grade polypropylene strapping is specifically designed to be used on automatic and semi-automatic machines, including Signode strappers. Suited to a wide range of industries.

Features:

- High elongation and recovery
- Low tension retention
- Delivers tight, strong and fast strapping

4" x 6" Core - 1 Coil

Item #	Color	Width	Thick	Length	Tensile	Wt
171005	Clear	1/4"	0.014	20000'	145 lbs	25 lbs
171010	Yellow	1/4"	0.014	20000'	145 lbs	25 lbs
171020	Clear	1/4"	0.018	15000'	200 lbs	25 lbs
171025	Yellow	1/4"	0.018	15000'	200 lbs	25 lbs

8" x 7.5" Core - 1 Coil

Item #	Color	Width	Thick	Length	Tensile	Wt
171003	Clear	1/4"	0.016	18000'	200 lbs	30 lbs
171019	Clear	1/4"	0.018	16750'	200 lbs	29 lbs

8" x 8" Core - 1 Coil

Item #	Color	Width	Thick	Length	Tensile	Wt
171004	Yellow	1/4"	0.016	18000'	170 lbs	30 lbs
171046	Clear	3/8"	0.016	12000'	300 lbs	30 lbs



Pre Cut Polypro Straps

CWC pre cut polypropylene straps are 17' in length and come with a pre-attached poly buckle. They are a quick, easy way to strap pallets and cartons. Color code for quick identification.

Features:

- Portable and easy to use
- Great for any strapping or banding needs

Item #	Color	Width	Length	Tensile	Units	Weight
181045	White	1/2"	17'	300 lbs	500	31 lbs
181040	Yellow	1/2"	17'	300 lbs	500	31 lbs
181050	Black	1/2"	17'	300 lbs	500	31 lbs
181057	Blue	1/2"	17'	300 lbs	500	31 lbs
181058	Red	1/2"	17'	300 lbs	500	31 lbs
181055	Orange	1/2"	17'	300 lbs	500	31 lbs
181059	Dark Blue	1/2"	17'	300 lbs	500	31 lbs
181056	Green	1/2"	17'	300 lbs	500	31 lbs



Polypro Dispenser Pack

CWC easy-to-use, portable polypropylene strapping dispenser packs. Secure skids, boxes and tubing anywhere.

Features:

- Total strapping system in a box
- Economical and easy to use

Item #	Description	Lth	Buckles	Tensile	Color	Coils
172007	1/2" x 0.018"	1200'	100 wire	300 lbs	Black	4
172012	1/2" x 0.018"	3000'	300 wire	300 lbs	Black	1
172009	1/2" x 0.018"	3000'	500 pp	300 lbs	Yellow	1
172010	1/2" x 0.018"	6000'	300 wire	300 lbs	Black	1
172015	1/2" x 0.025"	4000'	300 wire	500 lbs	Black	1

Friction Welders



These tools combine battery-powered tensioning and friction-weld sealing. Eliminates the need for separate manual tools and seals.

Features:

- Adjustable for a broad range of width and thickness
- Approximately 250 seals per charge

Item #	Description	Strap Wth	Wt
176108	ZAPAK Battery Operated Friction Tool (ZP92A) - 570 lb Tension Capacity 0.022" - 0.053" PET/PP Strap	3/8" - 5/8"	8 lbs
176109	ZAPAK Battery Operated Friction Tool (ZP97) - 925 lb Tension Capacity 0.026" - 0.053" PET/PP Strap	5/8" - 3/4"	8 lbs
180950	Orgapack Battery Combo Friction Tool (ORT-250) - 560 lb Tension Capacity 0.019" - 0.039" PET/PP Strap	1/2"-5/8"	9 lbs
176811	Orgapack Battery Combo Friction Tool (ORT-400) - 900 lbs Tension Capacity 0.031" - 0.051" PET/PP Strap	5/8" - 3/4"	10 lbs
176102	VT700L Battery Operated Friction Tool - 700 lb Tension Capacity 0.020" - 0.040" PET Strap	1/2"-5/8"	10 lbs



Strapping Machines

An economically priced semi-automatic strapping machine.

Features:

- Simple control panel w/tension adjustment

Item #	Description	Core Size	Strap Width	Weight
180002	Semi-Automatic	8"x 8" or 9"x 8"	1/4" - 1/2"	190 lbs



Plastic Strap Tensioners

CWC offers manual tensioners to tighten and cut polypro or polyester strap. We carry economy, standard and heavy-duty models.

Features:

- Dependable heavyweight construction
- Apply maximum tension with minimal effort

Item #	Description	Width	Wt
176600	Pro Series Hand-Held T-bar Tensioner	1/4" - 3/4"	1 lb
176010	Pro Series Heavy-Duty Tensioner	1/2" - 3/4"	4 lbs
176012	Pro Series P110GY Heavy-Duty Tensioner	3/8" - 3/4"	3 lbs
176612	Pro Series Plastic Strap Tensioner	3/8" - 3/4"	4 lbs
176011	Regular-Duty Tensioner (Polypro/PET/ Polyester Cord Strap)	1/2" - 3/4"	3 lbs
176043	Heavy-Duty Tensioner (Polypro/PET/ Polyester Cord Strap)	1/2" - 3/4"	3 lbs



Buckles and Seals

CWC carries all the seals and buckles you'll need for any width or thicknesses of poly strapping.

Seals

Item #	Type	Mil	Size	Length	Units	Weight
175060	Closed	0.025	1/2"	1.25"	1000	12 lbs
175075	Closed	0.025	5/8"	1.25"	1000	15 lbs
175065	Open	0.025	1/2"	1.25"	1000	12 lbs
175085	Open	0.025	5/8"	1.25"	1000	13 lbs
175100	Open	0.025	3/4"	1.25"	1000	18 lbs
175112	Serrated	0.03	1/2"	1.25"	1000	15 lbs
175095	Serrated	0.04	5/8"	1.25"	1000	17 lbs

Buckles

Item #	Type	Dia	Size	Units	Weight
175006	Poly Buckles	N/A	1/2"	1000	4 lbs
175010	Poly Buckles	N/A	5/8"	1000	5 lbs
175025	Wire Buckles	0.105	1/2"	1000	14 lbs
175027	Wire Buckles - HD	0.120	1/2"	1000	18 lbs
175028	Wire Buckles - HD (Square)	0.120	1/2"	1000	16 lbs
175035	Wire Buckles	0.120	5/8"	1000	11 lbs
175045	Wire Buckles	0.120	3/4"	1000	20 lbs
175115	Phosphate Buckles	0.160	3/4"	1000	43 lbs
175120	Galvanized Wire Buckles	0.197	1"	500	42 lbs
175125	Galvanized Wire Buckles	0.275"	1-1/4"	250	48 lbs



Plastic Strap Sealers

CWC offers front and side action plastic strap sealers. Compact and designed for both regular and heavy-duty applications.

Features:

- Front and side action available
- Heavy-duty also available

Item #	Description	Seal Size	Wt
176030	Pro Series C3004 Crimper/Sealer	1/2"	4 lbs
176035	Pro Series C3005 Crimper/Sealer	5/8"	4 lbs
176023	Pro Series C3026 Crimper/Sealer	3/4"	2 lbs
176040	Pro Series Serrated Offset Crimper/Sealer	1/2"	5 lbs
176042	Pro Series Serrated Offset Crimper/Sealer	5/8"	5 lbs
176620	Pro Series Long Handle Sealer	1/2"	4 lbs
176742	Front Action Sealer	1/2"	4 lbs
176025	Regular-Duty Sealer	1/2" - 5/8"	3 lbs
176027	Heavy-Duty Sealer 1/2"	1/2"	5 lbs
176028	Heavy-Duty Sealer 5/8"	5/8"	5 lbs
176029	Heavy-Duty Sealer 3/4"	3/4"	5 lbs
176745	Heavy-Duty Sealer 1/2" for PET	1/2"	5 lbs
176746	Heavy-Duty Sealer 5/8" for PET	5/8"	5 lbs



Strapping Carts

CWC stocks dispenser carts for steel and plastic strapping, or both. Sturdy wheels allow for portability and easy application.

Features:

- Most models include a tool tray
- All-Purpose carts are compatible with steel & poly strap

Item #	Description	Core	Face	Wt
176054	Poly Strap Cart - Light-Duty	3"	3"6"	31 lbs
176050	All Purpose Cart (Plastic Wheel)	8"16"	3"6"8"	46 lbs
176725	All Purpose Cart (Rubber Wheel)	8"16"	3"6"8"	48 lbs
176758	All Purpose Cart - Heavy-Duty	All	3"6"8"	70 lbs
176049	Universal Cart - Light-Duty	8"16"	3"6"8"	59 lbs
176053	Poly/Steel Strap Cart	16"	3"6"	52 lbs
176051	Poly/Steel Strap Cart	16"	3"6"	54 lbs
176726	Steel Strap Cart - Regular-Duty 6" Rubber Tires	16"	3"	70 lbs
176727	Steel Strap Cart - Heavy-Duty Ribbon Wound, 10" Rubber Tires	16"	3/4" - 1-1/4"	64 lbs

Steel Strapping



Steel Strapping

Steel strap offers the strongest, most secure strapping option available. CWC strapping works with manual and pneumatic tools, as well as automatic strapping heads.

Features:

- Compatible with Signode tools
- Call for skid pricing!

Regular-Duty - USA

Ideal for standard cargo bundling. Zinc or painted/waxed finish available.

Item #	Width	Thickness	Tensile	Finish	Wound	Weight
177070	1/2"	0.020	1180 lbs	Zinc	OS	100 lbs
177071	1/2"	0.023	1350 lbs	P/W	OS	100 lbs
177072	5/8"	0.020	1470 lbs	P/W	OS	100 lbs
177073	5/8"	0.023	1690 lbs	P/W	OS	100 lbs
177075	3/4"	0.020	1765 lbs	P/W	OS	100 lbs
177076	3/4"	0.023	2025 lbs	P/W	OS	100 lbs

Regular-Duty - Imported

Item #	Width	Thickness	Tensile	Finish	Wound	Weight
177009	3/8"	0.020	880 lbs	P/W	OS	95 lbs
177002	1/2"	0.015	890 lbs	P/W	OS	95 lbs
177005	1/2"	0.020	1180 lbs	P/W	OS	95 lbs
177118	1/2"	0.020	1180 lbs	Zinc	OS	95 lbs
177007	1/2"	0.023	1350 lbs	P/W	OS	95 lbs
177020	5/8"	0.020	1470 lbs	P/W	OS	95 lbs
177021	5/8"	0.020	1470 lbs	Zinc	OS	95 lbs
177022	5/8"	0.023	1690 lbs	P/W	OS	95 lbs
177013	3/4"	0.020	1765 lbs	P/W	OS	95 lbs
177011	3/4"	0.023	2025 lbs	P/W	OS	95 lbs

High-Tensile

Keeps heavier loads secure. Recommended for railroad shipments.

Item #	Width	Thickness	Tensile	Finish	Wound	Weight
177077	5/8"	0.020	1855 lbs	P/W	OS	95 lbs
177078	5/8"	0.023	2130 lbs	P/W	OS	95 lbs
177079	3/4"	0.020	2230 lbs	P/W	OS	95 lbs
177080	3/4"	0.025	2770 lbs	P/W	OS	95 lbs
177081	3/4"	0.029	3205 lbs	P/W	OS	95 lbs
177082	3/4"	0.031	3371 lbs	P/W	OS	95 lbs
177083	1-1/4"	0.029	5530 lbs	P/W	RW	95 lbs
177084	1-1/4"	0.031	5619 lbs	P/W	RW	95 lbs
177033	1-1/4"	0.044	8065 lbs	P/W	RW	95 lbs
177038	2"	0.044	12900 lbs	P/W	RW	95 lbs

Heavy-Duty

Heat-treated, medium carbon steel strapping provides high strength and excellent shock resistance for heavy-duty applications. Coils come 95 lbs.

Item #	Width	Thickness	Tensile	Finish	Wound	Weight
177019	5/8"	0.020	1855 lbs	P/W	OS	95 lbs
177012	3/4"	0.020	2380 lbs	P/W	OS	95 lbs
177017	3/4"	0.023	2555 lbs	P/W	OS	95 lbs
177014	3/4"	0.025	2675 lbs	P/W	OS	95 lbs
177114	3/4"	0.025	2675 lbs	Zinc	OS	95 lbs
177010	3/4"	0.029	3205 lbs	P/W	OS	95 lbs
177015	3/4"	0.031	3371 lbs	P/W	OS	95 lbs
177034	1-1/4"	0.025	4360 lbs	P/W	RW	95 lbs
177030	1-1/4"	0.029	5450 lbs	P/W	RW	95 lbs
177031	1-1/4"	0.029	5450 lbs	Zinc	RW	95 lbs
177032	1-1/4"	0.031	5510 lbs	P/W	RW	95 lbs



Punched Steel Strap

Ideal for anchoring pipes and heavy objects in construction. Standard 0.14" diameter center-punched holes, 0.75" apart.

Features:

- Anchor strapping with nails for added stability or security

Item #	Width	Thickness	Tensile	Finish	Wound	Weight
177318	3/4"	0.020	1170 lbs	P/W	RW	95 lbs

Steel Strap Mini Coils



CWC mini coils are manufactured from cold rolled steel and effective for applications that call for high mobility and a low volume of strapping. Packaged in a self-dispensing carton for quick, convenient use on the go.

Features:

- Portable dispenser box for on-the-spot jobs
- Signode tool compatible

Item #	Dimensions	Thickness	Tensile	Finish	Weight
177202	1/2" x 200'	0.020	1223 lbs	P/W	10 lbs
177008	1/2" x 300'	0.020	1223 lbs	P/W	12.7 lbs
177203	5/8" x 200'	0.020	1508 lbs	P/W	12 lbs
177206	5/8" x 300'	0.020	1508 lbs	P/W	13 lbs
177204	3/4" x 200'	0.020	1812 lbs	P/W	12 lbs
177208	3/4" x 300'	0.020	1812 lbs	P/W	15 lbs



Steel Strap Crimper/Sealer

In a single action, CWC steel strap crimper/sealers work to produce a maximum strength joint. Heavy-duty and side notch available.

Regular-Duty

Item #	Description	Strap	Thick	Wt
176712	Pro Series 1/2" Short-Handle Sealer	1/2"	.015-.023	3 lbs
176713	Pro Series 5/8" Short-Handle Sealer	5/8"	.015-.023	3 lbs
176715	Pro Series 3/4" Short-Handle Sealer	3/4"	.015-.023	3 lbs
176716	Pro Series Heavy-Duty Sealer	1-1/4"	.035	4 lbs
176625	1/2" Single-Notch Sealer (Push)	1/2"	.015-.023	3 lbs
176626	5/8" Single-Notch Sealer (Push)	5/8"	.015-.023	3 lbs
176627	3/4" Single-Notch Sealer (Push)	3/4"	.015-.023	3 lbs
176751	3/8" Double-Notch Sealer	3/8"	.015-.023	3 lbs
176738	1/2" Double-Notch Sealer	1/2"	.015-.023	3 lbs
176739	5/8" Double-Notch Sealer	5/8"	.015-.023	3 lbs
176732	3/4" Double-Notch Sealer	3/4"	.015-.023	3 lbs

Heavy-Duty

Item #	Description	Strap	Thick	Wt
176733	Pro Series 1/2" Long-Handle Sealer	1/2"	.015-.023	3 lbs
176734	Pro Series 5/8" Long-Handle Sealer	5/8"	.015-.023	3 lbs
176735	Pro Series 3/4" Long-Handle Sealer	3/4"	.015-.023	3 lbs
176743	3/4" Double-Notch Front-Action Sealer	3/4"	.023-.031	3 lbs
176730	3/4" Single-Notch Down-Cut Side-Action Sealer	3/4"	.025-.031	8 lbs
176719	1-1/4" Single-Notch Down-Cut Side-Action Sealer	1-1/4"	.025-.031	11 lbs
176717	1-1/4" Double-Notch Side-Action Sealer	1-1/4"	.025-.031	11 lbs



Steel Strap Shears

The CWC steel strapping shears are available in both standard-duty and extra heavy-duty. Use to cut off excess strapping.

Features:

- Economy and high carbon shears available

Item #	Description	Strap	Thick	Wt
176710	Pro Series HD Steel Shears	3/8" - 1-1/4"	.015-.031	2 lbs
176752	High-Carbon Steel Strap Cutters	2"	.035	3 lbs
176711	Economy Steel Shears	3/8" - 3/4"	.015-.031	2 lbs
176708	Heavy-Duty Steel Shears	3/8" - 1-1/4"	.015-.031	2 lbs
176709	Extra Heavy-Duty Steel Shears	2"	0.05	7 lbs



Steel Strap Tensioners

CWC steel strapping tensioners are for all steel strapping applications. For heavier strap, try our rotary or feed wheel models.

Item #	Description	Width	Thick	Wt
176721	Pro Series Tensioner	1/2"	.015-.023	5 lbs
176722	Pro Series Compact FW Tensioner	3/8"- 3/4"	.015-.023	5 lbs
176714	Pro Series High-Tensile FW Tensioner	3/8"- 3/4"	.015-.023	6 lbs
176720	Pro Series HD FW Tensioner	3/4"-1 1/4"	0.035	7 lbs
176707	Regular-Duty Tensioner	3/8"-3/4"	.015-.023	5 lbs
176729	Standard-Duty Tensioner	3/8"-3/4"	.015-.023	6 lbs
176718	Heavy-Duty Feed Wheel Tensioner	3/4"-1 1/4"	.023-.031	8 lbs
176044	Compact FW Pusher Tensioner	3/8"-3/4"	.025-.031	7 lbs
176045	Heavy-Duty FW Pusher Tensioner	5/8"-1 1/4"	.025-.031	7 lbs

Steel Seals



CWC steel seals are made from high-strength carbonized steel, and are available for any width or thickness of steel strapping. Compatible with Signode tools.

Regular-Duty

Item #	Type	Mil	Size	Length	Units	Wt
175030	Open	0.020	3/8"	1.000"	5000	25 lbs
175034	Open	0.020	3/8"	1.000"	2500	12 lbs
175029	Open	0.020	1/2"	1.000"	1000	7 lbs
175031	Open	0.020	1/2"	1.125"	2500	15 lbs
175037	Open	0.020	5/8"	1.000"	1000	8 lbs
175036	Open	0.020	5/8"	1.125"	2500	18 lbs
175741	Open	0.020	3/4"	1.125"	2500	20 lbs
175738	Open	0.020	3/4"	1.250"	1000	10 lbs
175740	Open Magazine	0.020	5/8-3/4"	1.125"	5000	47 lbs
175758	Push	0.025	1/2"	1.000"	2500	25 lbs
175756	Push	0.025	5/8"	1.000"	2500	30 lbs
175743	Push	0.025	3/4"	1.000"	2500	34 lbs
175742	Push	0.025	3/4"	0.875"	2500	28 lbs

Heavy-Duty

Item #	Type	Mil	Size	Length	Units	Wt
175755	Open	0.031	3/4"	1.750"	2000	50 lbs
175760	Open	0.031	1 1/4"	2.250"	1000	47 lbs
175044	Push	0.035	3/4"	1.750"	2000	71 lbs
175757	Push	0.035	3/4"	2.250"	1000	45 lbs
175761	Push	0.035	1 1/4"	2.250"	1000	68 lbs
175772	Closed Grit	0.030	1 1/4"	2.250"	500	53 lbs